



Dlla150s187 Automatic Shut Off Fuel Nozzle CSA 1 Inch Diesel Nozzle

Our Product Introduction

For more products please visit us on refueling-equipment.com

Basic Information

- Place of Origin: China
- Brand Name: Virette



Product Specification

- Features: Trigger Lock, Splash Guard, Automatic Shut-off
- Certifications: UL, CSA, CE
- Temperature Rating: 0-150 Degrees Fahrenheit
- Hose Length: 10 Feet
- Model: 11A
- Cylinder: Multi-cylinder
- Nozzle Diameter: 1 Inch
- Flow Rate: 10 Gallons Per Minute
- Highlight: **dlla150s187 automatic shut off fuel nozzle , csa 1 inch diesel nozzle , automatic shut off fuel nozzle csa**

Product Description

10 GPM 1 UL CSA Fuel Nozzle with 10 Hose Trigger Lock Splash Guard and Auto Shut off for Multi cylinder

Product Description:

The Fuel Nozzle has a 10-foot hose length, providing plenty of reach to fuel any vehicle that pulls up to your pump. This makes it ideal for use in busy fueling stations where vehicles of all sizes need to be fueled quickly and efficiently. The 10-foot hose length also makes it easy to maneuver the nozzle around vehicles, ensuring that fueling is fast and hassle-free.

The Fuel Nozzle model 11A is constructed from durable aluminum, making it both lightweight and long-lasting. This material is resistant to rust and corrosion, ensuring that the nozzle will last for many years even with frequent use. The aluminum construction also makes the nozzle easy to handle, reducing the risk of fatigue and injury for your staff.

In addition to its durability, the Fuel Nozzle is designed to operate in a range of temperatures. With a temperature rating of 0-150 degrees Fahrenheit, this nozzle is suitable for use in a variety of weather conditions. Whether it's hot and sunny or cold and snowy, the Fuel Nozzle will perform reliably and efficiently every time you use it.

When it comes to safety, the Fuel Nozzle is second to none. This nozzle is certified by UL, CSA, and CE, ensuring that it meets the highest safety standards for fueling equipment. This means you can use the Fuel Nozzle with confidence, knowing that it has been rigorously tested and certified to be safe and reliable.

In conclusion, if you're in need of a high-quality gasoline hose nozzle, the Fuel Nozzle is an excellent choice. With its 10-foot hose length, model 11A construction, temperature rating of 0-150 degrees Fahrenheit, and UL, CSA, and CE certifications, this nozzle is the perfect addition to any gas station or fueling operation. Don't settle for a subpar gasoline hose nozzle – invest in the Fuel Nozzle and experience the difference for yourself.

Features:

Product Name: Fuel Nozzle

Temperature Rating: 0-150 Degrees Fahrenheit

Component: Fuel Injection Device

Hose Length: 10 Feet

Size: 5.5 Inches

Nozzle Diameter: 1 Inch

Keywords: Gasoline Hose Nozzle, Diesel Fuel Gun

Technical Parameters:

| | |
|--------------------|--------------------------|
| Quality | Guaranteed |
| Component | Fuel Injection Device |
| Stamp Number | D11a150s187 |
| Model | 11A |
| Nozzle Diameter | 1 inch |
| Hose Length | 10 feet |
| Pressure Rating | 50 psi |
| Temperature Rating | 0-150 degrees Fahrenheit |
| Certifications | UL, CSA, CE |
| Warranty | 1 Year Limited Warranty |

Applications:

Whether you are using a gas pump spout to fill up your car or truck, or you are delivering oil to a customer's location, the Virette Fuel Nozzle is the perfect choice. Its precision engineering and high-quality components make it a reliable choice for any petroleum flow nozzle application.

The Virette Fuel Nozzle is also covered by a 1-year limited warranty, giving you peace of mind and assurance that you are investing in a reliable and trustworthy product. It is suitable for use in a variety of scenarios, including fueling up cars and trucks, filling up generators, and delivering fuel to remote locations.

When looking for a high-quality oil delivery spout that you can depend on, look no further than the Virette Fuel Nozzle. With its precision engineering, high-quality materials, and reliable performance, it is the perfect choice for any petroleum flow nozzle application.

Customization:

Virette offers customized product services for the Fuel Nozzle, which is also referred to as the Gas Pump Spout, Oil Delivery Spout, or Petroleum Flow Nozzle. Our Fuel Nozzle is a multi-cylinder model 11A, originating from China, with a pressure rating of 50 Psi and a flow rate of 10 gallons per minute. We provide a 1-year limited warranty to ensure customer satisfaction.

Packing and Shipping:

Product Packaging:

The Fuel Nozzle will be securely packaged in a cardboard box.

The box will have foam inserts to protect the nozzle during shipping.
The product will be labeled and include an instruction manual.
Shipping:
The Fuel Nozzle will be shipped via standard ground shipping.
Shipping times may vary depending on the destination.
Tracking information will be provided once the product has shipped.



Virette Technology Co., Ltd.



+8615651807973



ryan.s@youngtioneotech.com



refueling-equipment.com

Shizishu Industrial Concentration Zone, GuxiongStreet, Yuhuatai District, Nanjing City, Jiangsu Province, China